



# RIOS

COLLECTION

SWIMMING POOL TILES

100x100mm | 4"x4"



# Aqualuxe

Splash with Serene Style





# RIOS

COLLECTION

Witness a range of designs in this collection. There are 10 different designs and shades in a glossy finish that truly enrich your swimming experience and giving a top resort like feel.

**306X306MM**  
AVAILABLE IN NET  
(9 PCS)




**100X100MM**






Sizzling  
Pick




Spectacular  
Beauty



Ravishing  
Retreat




Outstanding  
Vibe



Sensational  
Shade




Relaxing  
Oasis




**40011 RIOS ALPINE BLUE**




**40012 RIOS SKY BLUE**




**40013 COBALT BLUE**



**40014 RIOS SPACE BLUE**




**40015 RIOS PRUSSIAN BLUE**



**40016 RIOS LAKE AQUA BLUE**




**40017 RIOS AQUA SEA**



**40018 RIOS AQUA MARINE**



**40019 RIOS CRYPTIC AQUA**



**40020 RIOS FOREST GREEN**

**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40011**  
**ALPINE BLUE**



**PUNCH**



**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



40011 ALPINE BLUE



**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40012**  
**SKY BLUE**



**PUNCH**




**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



**40012 SKY BLUE**





**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40013**  
**COBALT BLUE**



**PUNCH**




**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



40013 COBALT BLUE




**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40014**  
**SPACE BLUE**



**PUNCH**



**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



**40014 SPACE BLUE**


---

**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40015**  
**PRUSSIAN BLUE**



**PUNCH**




**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



**40015 PRUSSIAN BLUE**




**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40016**  
**LAKE AQUA BLUE**



**PUNCH**



**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40017**  
**AQUA SEA**



**PUNCH**



**GLOSSY**



**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



40017 AQUA SEA



**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40018**  
**AQUA MARINE**



**PUNCH**



**GLOSSY**




**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**



**Watersign™**



**40018 AQUA MARINE**

---

**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40019**  
**CRYPTIE AQUA**



**PUNCH**



**GLOSSY**



**RANDOM**

**LOW WATER**  
**ABSORPTION  $E \leq 0.5\%$**



**40019 CRYPTIE AQUA**


---

**RIOS**  
COLLECTION

100X100MM | 4"X4"  
GLAZED PORCELAIN TILES



**40020**  
**FOREST GREEN**



**PUNCH**



**GLOSSY**















**RANDOM**

**LOW WATER  
ABSORPTION  $E \leq 0.5\%$**

40020 FOREST GREEN

ive  
power  
te as  
flower

## GLAZED PORCELAIN TILES TECHNICAL SPECIFICATION

Test/Standard	Requirement	Test Result	Test/Standard	Requirement	Test Result
 <b>Length / Width</b> EN ISO 10545-2	$\pm 0.6\% \leq \pm 2\text{mm}$	Pass	 <b>Modulus of Rupture</b> EN ISO 10545-4	Min. 35N/mm <sup>2</sup>	$\geq 35\text{N/mm}^2$
 <b>Thickness</b> EN ISO 10545-2	$\pm 5\% \leq \pm 0.5\text{mm}$	Pass	 <b>Thermal Shock</b> EN ISO 10545-9	Pass	Pass
 <b>Straightness of Side</b> EN ISO 10545-2	$\pm 0.5\% \leq \pm 1.5\text{mm}$	Pass	 <b>Frost Resistance</b> EN ISO 10545-12	Resistant	Resistant
 <b>Rectangularity</b> EN ISO 10545-2	$\pm 0.5\% \leq \pm 2\text{mm}$	Pass	 <b>Chemical Resistance</b> EN ISO 10545-13	Min. Class B	Class A
 <b>Surface Flatness</b> EN ISO 10545-2	$\pm 0.5\% \leq \pm 0.5\text{mm}$	Pass	 <b>Stain Resistance</b> EN ISO 10545-14	Min. Class 3	Pass
 <b>Water Absorption</b> EN ISO 10545-3	$\leq 0.5\%$	$\leq 0.5\%$	 <b>Fire Rating</b>	-	Class A I <sub>FL</sub> Non Combustible

## PACKAGING DETAILS

SIZE	TEXTURE	THICKNESS	PIECES/BOX	SGM./BOX	SGFT./BOX	KG/BOX
100X100MM	PUNCH	8.00MM	70	0.70	7.53	13.00

SHEET SIZE	TEXTURE	THICKNESS	PIECES/NET	SHEET/BOX	SGM./BOX	SGFT./BOX	KG/BOX
306X306MM	PUNCH	8.00MM	9	9	0.84	9.04	15.00

Note :

- Size / shade variation is inherent in porcelain tiles , in case of any complain its should be brought to our dealer's notice before laying the tiles.
- Colour shown are indicative only. Check actual tiles for exact colour.
- The information contained in this catalogue are accurate as possible, but cannot be considered as legally binding.
- Customers are advised to inspect a sample of the tile before ordering.
- The company reserves the right to change the specifications without prior notice.

## TILE FIXING INSTRUCTIONS

It is necessary to use an appropriate adhesive and grouting material for each product An initial approach must be made before starting the installation and take into account the type of joint, structural, perimeter, expansion and installation that must be used for each use. We advise that to obtain an optimal result a 3 mm joint should be used

Once the placement is finished: it is recommended to remove the remains of adhesive material and specific grouting for each material, following the manufacturer's instructions for these products.

In general, powder detergents and aggressive scouring pads should not be used for cleaning. It is enough to clean the tiles with a sponge, warm water and a neutral liquid soap. Finally, rinse with clean water.



